

INDEX MAPS.

T. 31 N. R. 8 W. 2nd Mer.

Meanders - 151

| | 130 | | 130 | | 130 | | 130 | | 129 | | 129 | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 132 | 6 | 150 | 5 | 146 | 4 | 143 | 3 | 140 | 2 | 137 | 1 | 128 |
| | 150 | | 150 | | 146 | | 143 | | 139 | | 136 | |
| 132 | 7 | 150 | 8 | 145 | 9 | 142 | 10 | 139 | 11 | 136 | 12 | 128 |
| | 149 | | 149 | | 145 | | 142 | | 139 | | 135 | |
| 132 | 18 | 149 | 17 | 145 | 16 | 142 | 15 | 138 | 14 | 135 | 13 | 128 |
| | 149 | | 148 | | 144 | | 141 | | 138 | | 136 | |
| 132 | 19 | 148 | 20 | 144 | 21 | 141 | 22 | 138 | 23 | 134 | 24 | 127 |
| | 147 | | 147 | | 153 | | 141 | | 138 | | 134 | |
| 131 | 30 | 147 | 29 | 153 | 28 | 140 | 27 | 137 | 26 | 134 | 25 | 127 |
| | 147 | | 146 | | 144 | | 140 | | 137 | | 133 | |
| 131 | 31 | 146 | 32 | 143 | 33 | 140 | 34 | 137 | 35 | 133 | 36 | 127 |
| | 126 | | 126 | | 125 | | 125 | | 125 | | 125 | |

Meanders - 151

T. 32 N. R. 8 W. 2nd Mer.

| | | | | | | | | | | | | |
|--------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | 160 | | 160 | | 159 | | 159 | | 159 | | 159 | |
| 161 | 6 | 179 | 5 | 174 | 4 | 171 | 3 | 168 | 2 | 165 | 1 | 159 |
| | 178 | | 178 | | 174 | | 171 | | 168 | | 165 | |
| Meanders 179 | 7 | 178 | 8 | 174 | 9 | 171 | 10 | 168 | 11 | 165 | 12 | 158 |
| | 178 | | 178 | | 174 | | 171 | | 168 | | 164 | |
| 161 | 18 | 177 | 17 | 174 | 16 | 170 | 15 | 167 | 14 | 164 | 13 | 158 |
| | 177 | | 177 | | 173 | | 170 | | 167 | | 164 | |
| 161 | 19 | 176 | 20 | 173 | 21 | 170 | 22 | 167 | 23 | 163 | 24 | 157 |
| | 176 | | 176 | | 173 | | 170 | | 167 | | 163 | |
| 161 | 30 | 176 | 29 | 173 | 28 | 169 | 27 | 166 | 26 | 163 | 25 | 157 |
| | 175 | | 175 | | 172 | | 169 | | 166 | | 162 | |
| 160 | 31 | 175 | 32 | 171 | 33 | 168 | 34 | 165 | 35 | 162 | 36 | 157 |
| | 156 | | 156 | | 156 | | 155 | | 155 | | 155 | |

Meanders 179

The figures on the lines refer to the page.

4
Township 31 North Range 8 West 2nd Mer. End^{ed} 195

South Boundary

Var. 5° 55' E.

West on South Side Sec. 36
Began in West prairie
40.00 Set gr. Sec. post from which a
W. oak 4 in. dia. bears N 9 E. S. 81. 1120 lbs. dist.
a Y. oak 6 " " " N 53 E. 943. " "
80.00 Set post cor. to Sec. 35 & 36 from which
a Y. oak 10 in. dia. bears S 78 W. 900 lbs. dist.
No other near
Land flat & West prairie Soil 2nd rate
Timber a few scattering oak

West on South Side Sec. 35
40.00 Set gr. Sec. post from which a
W. oak 5 in. dia. bears N 51 E. 866 lbs. dist.
no other
75.00 Leave West prairie & point of Timber S. W.
80.00 Set post cor. to Sec. 34 & 35 from which
a Y. oak 24 in. dia. bears N 43 E. 45 lbs. dist.
" Do 30 " " " N 42 E. 65. " "
Land is same

West on South Side Sec. 34
500 Leave point Timber & enter prairie
40.00 Set gr. Sec. post from which a
Y. oak 7 in. dia. bears S. 12 W. 776 lbs. dist.
" Do 6 " " " S. 7 1/2 W. 795. " "
80.00 Set post cor. to Sec. 33 & 34 from which
a Y. oak 24 in. dia. bears N. 29 W. 10,82 lbs. dist.
" Do 3 " " " S. 87 W. 996. " "
Land is same

West on South Side Sec. 33
8.00 Grove Timber
13.00 Leave do & enter prairie again

Y. 31 N. R. 8 W. 2nd Mer Ind^a

| | |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 40.00 | Set gr. Sec. post. from which a Y. Oak 8 in. dia. bears N 26 $\frac{1}{2}$ W. 93 the dist. a B. Oak 10 " " " N 80 E. 163 " " |
| 51.00 | Leave West prairie |
| 54.23 | a W. Oak 7 in. dia. |
| 70.28 | " Y. Oak 18 " " |
| 81.00 | Set post cor. to Sec. 32 & 33 from which a Y. Oak 14 in. dia. bears N. 29 E. 77 the dist. " Do 18 " " " N. 54 $\frac{1}{2}$ W. 29 " " Land level & 5 th rate Thickly timbered with oak |
| West | on South Side Sec. 32 |
| 14.67 | a Y. Oak 10 in. dia. |
| 31.17 | " Y. Oak 20 " " |
| 40.00 | Set gr. Sec. post from which w Y. Oak 4 in. dia. bears N. 42 E. 16 the dist. Do 6 " " " N. 46 W. 59 " " |
| 60.00 | Enter West prairie |
| 80.00 | Set post cor. to Sec. 31 & 32 from which a Black Gum 8 in. dia. bears N. 89 $\frac{1}{2}$ E. 20 10 the dist. Land & much as before |
| West | on South Side Sec. 31 |
| 25.00 | Leave West prairie |
| 27.14 | a B. Oak 8 in. dia. |
| 29.50 | Enter West prairie |
| 40.00 | Set gr. Sec. post. from which a Y. Oak 12 in. dia. bears S. 63 $\frac{1}{2}$ W. 177 the dist. a Do 10 " " " S. 82 $\frac{1}{2}$ W. 196 " " |
| 81.25 | West Boundary where Set post. from which a Y. Oak 6 in. dia. bears N. 33 E. 142 the dist. " W. Oak 7 " " " S. 37 W. 530 " " Land & much as before |

Jan. 31, 1834

Hywester Sibley D.D

East Boundary

Var. 5' 4"

- North on East Side Sec. 36
 4.00 Leave marsh or wet prairie
 16.75 a W. Oak 12 in. dia.
 18.50 Enter marsh
 40.00 Set gr. Sec. post. from which a
 P. Oak 24 in. dia. bears N. 54 $\frac{1}{2}$ E. 257 1/2 dist.
 a Do 15 " " " N. 97 $\frac{1}{2}$ W. 282 " "
 113.00 Leave marsh
 61.50 Enter do
 80.00 Set post cor. to Sec. 25 & 36 from which
 a P. Oak 12 in. dia. bears S. 6 $\frac{1}{2}$ E. 18.85 1/2 dist.
 " Y. Oak 16 " " " N. 4 $\frac{1}{2}$ E. 981 " "
 Dry land level, poor sandy barrens -
 Very thinly timbered with oak

- North on E. Side Sec. 25
 40.00 Set gr. Sec. post. from which a
 W. Oak 12 in. dia. bears S. 75 $\frac{1}{2}$ W. 1130 1/2 dist.
 a P. Oak 12 " " " N. 40 E. 559 " "
 60.00 Leave marsh
 68.00 Enter do again
 80.00 Set post cor. to Sec. 24 & 25 from which a
 P. Oak 12 in. dia. bears S. 88 $\frac{1}{2}$ W. 333 1/2 dist.
 a Do 13 " " " N. 88 $\frac{1}{2}$ E. 298 " "
 Land se. similar

- North on E. Side Sec. 24
 20.00 Leave marsh
 26.38 a Pin Oak 10 in. dia.
 26.00 Enter marsh
 40.00 Set gr. Sec. post. from which a
 P. Oak 13 in. dia. bears N. 10 $\frac{1}{2}$ W. 378 1/2 dist.
 a Do 14 " " " N. 82 $\frac{1}{2}$ E. 348 " "
 50.00 Set post cor. to Sec. 13 & 24

J. 31 N. R. 8 W. 2 E. Sec. 13

a P. oak 11 in. dia. bears N. 42 $\frac{3}{4}$ W. 5.24 112 dist.
 " W. oak 12 " " " N. 73 $\frac{3}{4}$ E. 2.20 " "
 Similar to last wet prairie
 no water

North on E. Side Sec. 13
 25.52 a P. oak 12 in. dia. and leave wet prairie
 35.00 Enter (wet prairie)
 40.00 Set gr. Sec. post. from which a
 P. oak 16 in. dia. bears N. 29 W. 606 112 dist.
 " Do 8 " " " S. 63 $\frac{1}{2}$ W. 377. " "
 58.50 Leave wet prairie
 68.77 a W. oak 13 in. dia.
 80.00 Set post cor. to Sec. 12 & 13, from which
 a P. oak 14 in. dia. bears S. 66 W. 35 112 dist.
 " W. oak 14 " " " N. 58 W. 53 " "
 North of prairie rolling barens

North on E. Side Sec. 12
 1.67 Indian Trail S. W.
 12.66 a W. oak 12 in. dia.
 17.69 " W. oak 10 " "
 40.00 Set gr. Sec. post from which a
 W. oak 17 in. dia. bears N. 25 $\frac{3}{4}$ W. 152 112 dist.
 a P. oak 16 " " " S. 6 $\frac{3}{4}$ W. 148. " "
 42.00 Enter Marsh
 62.50 Leave do
 67.00 Enter do
 79.00 Leave do
 80.00 Set post cor. to Sec. 1 & 12 from which
 a W. oak 17 in. dia. bears S. 72 W. 34 112 dist.
 " Do 9 " " " N. 32 $\frac{3}{4}$ W. 146 " "
 Same & similar

North on E. Side Sec. 1

21.23 a Pk. oak 13 in. dia,
 40.00 Set gr. sec. post from which a
 W. oak 18 in dia bears N 66 $\frac{1}{2}$ W. 46 the dist.
 a Do 16 " " " S. 75 $\frac{1}{2}$ W. 41 " "
 57.33 a W. oak 12 " "
 64.60 " W. oak 13 " "
 80.90 To Town. corner

Land &c. similar
 Surveyed Easy 28th 1834 by
 Sylvester Sibley
 Deft. Surveyor

North Boundary

West on South Side Sec. 36 T. 32 N. R. 8 W.
 24.42 a W. oak 18 in. dia,
 32.00 Enter West prairie
 40.00 Set gr. sec. post. from which a
 W. oak 20 in dia, bears N. 71 $\frac{1}{2}$ E. 30 $\frac{1}{2}$ the dist.
 a Do 10 " " " N. 57 $\frac{1}{2}$ E. 31 $\frac{1}{2}$ " "
 71.00 Leave West prairie
 72.90 a Y. oak 18 in. dia,
 80.00 Set post cor. to Sect. 35 & 36 from which
 a W. oak 16, in. dia, bears N. 64 E. 44 the dist.
 " Do 30, " " " N. 56 $\frac{1}{2}$ W. 59 " "
 Land level & 2nd rate
 thickly timbered with oak

West on South Side Sec. 35 T. 32 N. R. 8 W.
 25.93 a W. oak 14 in. dia,
 40.00 Set gr. sec. post. from which a
 Y. oak 12 in. dia, bears N. 64 E. 74 the dist.
 a W. oak 14 " " " N. 34 W. 108. " "
 62.00 Enter West prairie
 80.00 Set post cor. to Sect. 34 & 35 from which
 a Y. oak 10 in. dia, bears N. 7 $\frac{1}{2}$ E. 850 the dist.

T₃₁ N₁₀ E 8 W 2 ^{2nd} Mer. Ind. a

a Y. oak 8 in. dia. bears N. 12 1/2 E. 9.01 No. dist.
Land Lb. Similar

West on South Side Sec. 34 T. 32 N. 10. 8 W.
40.00 Set gr. Sec. post. from which a
W. oak 9 in. dia. bears N. 28. W. 364 No. dist.
" Do 9 " " " S. 14 W. 333. " "
44.00 Leave wet prairie
80.00 Set post cor. to Sect 33 & 34 from which
a W. oak 9 in. dia. bears N. 40. E. 101 No. dist.
" Do 13 " " " N. 34 W. 14 " "
Land Lb. Same

West on South Side Sec. 33. T. 32 N. 10. 8 W.
15.00 Enter marsh
40.00 Set gr. Sec. post
Water too deep to raise a mound
80.00 Set post cor. to Sect 32 & 33 from which
a Y. oak 10 in. dia. bears N. 82 1/2 E. 657 No. dist.
" Do 10 " " " S. 89 1/2 E. 7. 39 " "
Land East of marsh as before

West on South Side Sec. 32 T. 32 N. 10. 8 W.
40.00 Set gr. Sec. post in water too deep to raise mound
75.00 Willow & Ash Swamp
80.00 Set post cor. to Sect. 31 & 32
& for meandering post on left bank of
Hautakee River, course nearly West
a Willow 10 in. dia. bears N. 21 E. 524 No. dist.
" Birch 12 " " " N. 45 W. 116. " "
Land all marsh

West on South Side Sec 31 T. 32 N. 10. 8 W
40.00 gr. Section corner in river
72.00 Leave river & set post on right bank &
Enter prairie

195/ a Birch 8 in. dia. bears S. 44 W. 165, 165 dist.
 " Ash 8 " " " S. 25 W. 158, " "
 West Boundary at post. Take bearings
 a Willow 5 in. dia. bears S. 14 W. 8, 45, 165 dist.
 " Birch 8 " " " S. 79 1/2 E. 6, 50, " "
 Land west of the River dry prairie
 Surveyed in 1834 by
 Sylvester Sibley
 Dep't. Surveyor

West Boundary

North on East Side Sec. 36, T. 31 N. R. 8 W.
 Began on West prairie
 10.00 Leave West prairie
 35.17 a W. Oak 12 in. dia.
 40.00 Set gr. Sec. post from which a
 W. Oak 8 in. dia. bears S. 25 W. 122, 165 dist.
 a Y. Oak 4 " " " N. 44 W. 56 " "
 55.00 Enter West prairie
 80.00 Set post cor. to Sec. 25 & 36
 Should be a mound
 Land Level + 2nd rate Timbered thicket
 with Oak

North on East Side Sec. 25, T. 31 N. R. 8 W.
 25.50 Leave West prairie
 27.86 a W. Oak 10 in. dia.
 40.00 Set gr. Sec. post from which a
 Y. Oak 20 in. dia. bears S. 14 W. 45, 165 dist.
 a Do 20 " " " N. 63 W. 109, " "
 49.65 " Do 20 " " "
 80.00 Set post cor. to Sec. 24 & 25 from which
 a W. Oak 7 in. dia. bears S. 25 W. 70, 165 dist.
 a Br. Oak 7 " " " N. 85 W. 74, " "
 Land as before

T. 31 N. R. 9 E. & T. 32 N. R. 9 E. Mer. Ind. Co.

North on East Side Sec. 24 T. 31 N. R. 9 E.
 12.45 a Y. Oak 20 in. dia
 40.00 Set gr. Sec. post. from which a
 Y. Oak 7 in. dia bears N. 5 $\frac{1}{2}$ W. 203, 112 dist.
 a Do 6 " " " S. 37 E. 139, " "
 41.00 Enter West prairie
 80.00 Set post cor. to Sec. 13 & 24
 where should be a mound
 Land so much as before

North on East Side Sec. 13 T. 31 N. R. 9 E.
 40.00 Set gr. Sec. post
 where should be a mound
 80.00 Set post cor. to Sec. 12 & 13 from which
 a W. Oak 10 in. dia. bears S. 36 $\frac{1}{2}$ E. 87, 112 dist.
 no other
 Land flat & rather wet soil 2nd rate
 Interspersed with grove oak timber

North on East Side Sec. 12 T. 31 N. R. 9 E.
 20.00 Leave West prairie
 29.94 a Y. Oak 20 in. dia,
 40.00 Set. gr. Sec. post from which a
 Y. Oak 8 in. dia. bears N. 38 W. 48, 112 dist.
 a Do 10 " " " N. 74 W. 45, " "
 60.00 Enter West prairie
 80.00 Set post cor. to Sec. 1 & 12 from which
 a Y. Oak 12 in. dia. bears N. 37 W. 380, 112 dist.
 " Do 12 " " " N. $\frac{1}{2}$ W. 341, " "
 Land so much as before

North on East Side Sec. 1 T. 31 N. R. 9 E.
 3.00 Leave West prairie
 20.00 Enter do do
 32.00 Leave " " & Enter Kankakee
 Swamp

- 40.00 Set gr. Sec. post. from which a
Birch 10 in. dia bears N. 41 E. 6 1/2 mi. dist.
a W. Ash 6 " " " N. 70 W. 27. " "
- 68.80 a Sycamore 30 in. dia corner tree
on Left Bank of Kankakee River corner
S. W.
- 72.00 Set post on right Bank of River & enter
dry prairie.
a Willow 5 in. dia, bears S. 22 W. 4 1/2 mi. dist.
" Do 8 " " " S. 66. E. 136. " "
- 80.00 Set Scrub post. Town corner Land
level & poor south of River. Timber on
Bottom River Ash Elm Sycamore
Maple &c remain as before
Surveyed Feb. 4, 1834 by
Sylvester Sibley
Dep't. Surveyor

Subdivisions

- Var. 5° 47' E.
- North Between Sec 35 & 36
- 40.00 Set gr. Sec. post. in marsh no bearings
- 59.00 Enter point of grove
- 59.47 a Pine Oak 12 in. dia.
- 65.00 Leave grove & enter marsh
- 80.00 Set post cor. to Sec. 25 & 26, 35 & 36
a P. Oak 9 in. dia bears N. 89 E. 630 1/2 mi. dist.
" do. 9 " " " S 89 E 760
Land level & wet & poor sandy soil
some Pine & Oak timber
-
- East On Random between Sec. 25 & 36
- 6.50 Entered grove
- 15.00 ascend sandy ridge
- 26.50 Descend from ridge to marsh
- 80.18 1/2 E. boundary 8 mi. N. of post

by
T. 31 N. - R. 8 W. 2nd Mer. Twp.

C. L. Land part rolling & part level, timbered on ridge. Y. Oak & some W. Oak. —

West Correct the line between sec. 25 & 26
40.00 Set gr. sec. post in marsh. no bearings
80.18 Sec. corner.

North Between sections 25 & 26
40.00 Set gr. sec. post from which
a Pin Oak 11 in. dia. bears N 52 E 108 W. dist.
& a Do. 4 " " " N 48 W. 75 " "
40.00 Enter scattering grove
47.00 Leave grove & Enter marsh
80.00 Set post cor. sec. 23. 24. 25 & 26 from wh.
a Y. Oak 24 in. dia. bears N 33 W 420 W. dist.
& a Do. 22 " " " N 41 W. 375 " "
Land same as on last mile.

East on random between sec. 24 & 25
22.25 Enter grove
56.00 Leave grove & Enter marsh
80.40 Intersect E. Boundary 9/16th N. of post
Land in grove rolling Y. oak & W. oak
Soil 3rd rate

West Correct line between sec. 24 & 25
27.47 a W. Oak 12 in. dia.
40.20 Set gr. sec. post from which a
P. Oak 14 in. dia. bears N 21 E 39 W. dist.
& Do 15 " " " S. 15 W. 59 " "
51.05 a Y. Oak 20 in. dia.
80.40 Section corner

North Between sections 23 & 24
20.00 Enter scattering grove
28.00 Leave do do

T. 31 N. - R. 8 W. 2nd Mer. Ind 4th 135

40.00 Set gr. Sec. post. in marsh. no bearings
 79.00 Enter small grove
 80.00 Set post cor. 1st Sect. 13, 14, 23 & 24 a
 Y. oak 12 in. dia. bears S. 86 $\frac{1}{2}$ E. 42 lbs. dist.
 & W. oak 14 " " " S. 11 E. 63 " "
 Land level & wet - poor sandy soil
 3rd rate

East on random between Sect. 13 & 24
 3.00 Leave grove & Enter marsh
 25.00 Enter do
 33.50 Leave do & Enter marsh
 80.28 Intersect E. Boundary 4 lbs. S. of post
 Land same

West Correct line between Sect. 13 & 24
 40.14 Set gr. Sec. post from which a
 Pin oak 14 in. dia. bears N. 10 E. 2.15 lbs. dist.
 no other
 80.28 Section Corner

North Between Sections 13 & 14
 2.00 Leave grove & Enter marsh
 27.00 Enter do
 40.00 Set gr. Sec. post from which a
 Y. oak 22 in. dia. bears S. 68 W. 40 lbs. dist.
 a Do 28 " " " N. 46 E. 72 " "
 63.33 " Do 18 " "
 79.00 Leave grove & Enter marsh
 80.00 Set post cor. 1st Sect. 11, 12, 13 & 14 fm. wh.
 a W. oak 11 in. dia. bears S. 19 E. 114 lbs. dist.
 " P. oak 9 " " " S. 30 W. 1.09 " "
 Land part rolling - part level poor
 sandy soil W. oak, Y. oak

East on Random between Sect. 12 & 13

20.00 Leave Marsh & Enter grove
 81.00 Intersect E. Boundary 10 lks. N. of post
 Land after leaving marsh sand ridges
 Some W. Oak 3rd rate

West Correct line between Sec. 12 & 13
 10.57 a Y. Oak 24 in. dia
 40.50 Set gr. Sec. post. from which a
 W. Oak 15 in. dia. bears S. 27 $\frac{1}{2}$ W. 130 lks. dist.
 a Do 12 " " " N. 67 W. 95 " "
 45.57 " do 11 " "
 81.00 Section Corner

North Between Sections, 11 & 12
 28.00 Leave Marsh & Enter grove
 40.00 Set gr. Sec. post from which a
 W. Oak 18 in. dia. bears N. 39 W. 145 lks. dist.
 a Y. Oak 26 " " " N. 79 W. 170 " "
 80.00 Set post cor. to Sec. 12, 11 & 12 from which
 a W. Oak 8 in. dia. bears N. 43 $\frac{1}{2}$ W. 146 lks. dist.
 " Y. Oak 10 " " " N. 29 E 123 " "
 Land rolling - poor sandy soil -
 Timber short and scattering - Y. Oak.
 W. Oak no undergrowth
 July, 7, 1835

East on random between Sections 1 & 12
 81.16 Intersect E. Boundary 88 lks. N. of post
 Land Same

West Correct line between Sec. 1 & 12
 31.50 a Y. Oak 16 in. dia,
 40.58 Set gr. Sec. post from which a
 Y. Oak 16 in. dia. bears N. 52 $\frac{1}{2}$ E. 24 lks. dist.
 a Do 12 " " " S. 41. W. 76 " "
 78.50 " Do 12 " "

81.16 Section corner

North Between Sections 1 & 2
 36.00 Enter marsh
 40.00 Set gr. Sec. post from which a
 W. oak 24 in. dia. bears S. 52. W. 289. 112. dist.
 no other near
 69.50 Leave marsh & Enter grove
 78.99 Intersect N. Boundary 100 W. of post
 When set post cor to Sec. 1 & 2
 " Y. oak 10 in. dia. bears S. 37. W. 39. 112. dist.
 " Do 8 " " " S. 17. E 30 " "
 Land same

North Between Sections 34 & 35
 " 50 Leave grove & Enter marsh
 40.00 Set gr. Sec. post in marsh
 no bearings
 80.00 Set post in marsh cor. to Sec. 26. 27,
 34 & 35 no bearings
 Land marsh.

East on railroad between Sec. 26 & 35
 25.00 Enter small grove
 28.00 Leave " " & Enter marsh
 79.80 Intersect E. line of Sec. 20 W. N. of post
 Land same

West Corner line between Sec. 26 & 35
 39.90 Set gr. Sec. post. no bearings
 79.80 Section corner

North Between Sections 26 & 27
 40.00 Set gr. Sec. post in marsh no bearings
 80.00 Set post in marsh cor to Sec. 22, 23,
 26 & 27. no bearings, Land dry marsh

Y 31 N. T. 8 1/2nd Mer. Ind.

East on random between Sec. 23 & 26
80.40 Intersect E. line of Sec. 50 ths. N. of post
Land same

West Correct line between Sec. 23 & 26
40.20 Set gr. Sec. post in marsh.
no bearings
80.40 Section corner

North Between Sections 22 & 23
31.00 Land marsh & Enter ground
40.00 Set gr. Sec. post from which a
P. oak 12 in. dia. bears S. 80 6/40 ths. dist.
a W. oak 8 " " " S. 81 1/2 " "
80.00 Set post cor. to Sec. 14, 15, 22 & 23
a W. oak 12 in. dia. bears S. 86 1/4, 294 1/4 ths. dist.
" Do 8 " " " N. 85 1/2, 1.35 " "
Land level - W. oak & pin oak
poor sandy soil

East on random between Sec. 14 & 23
80.00 Intersect E. line of Sec. 15 ths. N. of post
Land level & about thirty timbered with
pin oak & W. oak poor sandy soil

West correct line between Sec. 14 & 23
9.82 a P. oak 14 in. dia.
40.00 Set gr. Sec. post from which a
P. oak 8 in. dia. bears S. 51 1/2, 32 ths. dist.
a Do 24 " " " N. 80 1/2, 11.12, " "
68.13 " W. oak 10 in. dia.
80.00 Section corner

North Between Sections 14 & 15
27.90 a Y. oak 14 in. dia.
40.00 Set gr. Sec. post from which a

@ Y. oak 14 in. dia bears S. 37 E. 44 lbs. dist
 @ Do 18 " " " West 44 " "
 67.38 @ W. oak 12 " "
 80.00 Set post cor. to Sec. 10, 11, 14 & 15 from wh
 @ W. oak 10 in. dia bears S. 4 E. 21 lbs. dist
 @ Do 12 " " " N. 26 W. 21 " "
 Land rolling poor sandy soil
 Y. oak & W. oak no much growth
 July, 8, 1855

East on random Between Sec. 11 & 14
 78.00 Leave grove & enter marsh
 80.56 Enter E. line of Sec. 8 ths. S. of post
 Land same

West correct line between Sec. 11 & 14
 32.20 @ Pin oak 18 in. dia.
 40.28 Set gr. Sec. post from which
 @ Y. oak 18 in dia, bears N. 40 W. 10 lbs. dist
 @ Do 20 " " " S. 27 E. 74 " "
 47.34 @ Do 10 " " "
 65.06 @ W. oak 12 " " "
 80.56 Section corner

North Between Sections 10 & 11
 30.25 @ W. oak 12 in. dia.
 40.00 Set gr. Sec. post. from which
 @ W. oak 30 in. dia bears S. 13 E. 48 lbs. dist
 @ Do 40 " " " N. 47 W. 58 " "
 49.30 @ Y oak 12 " "
 80.00 Set post cor. to Sec. 2, 3, 10 & 11
 @ P. oak 8 in. dia, bears S. 3 W. 1, 95 lbs. dist
 @ W. oak 18 " " " N. 56 E. 89 " "
 Land same

East on random between Sec. 2 & 11

T 31 N. R. 8 W. 2nd Sec. Mev. Ind.

23.00 Leave grove & Enter marsh
 78.00 Leave marsh & Enter grove
 81.25 Intersect E line of Sec 5 1/2 hrs N. of post
 Land level & West Pine Oak & W. Oak

West Correct line between Secs 2 & 11
 40.62 1/2 Set gr. Sec. post in marsh no bearings
 68.13 @ Pine Oak 18 in. dia.
 81.25 Section corner

North Between Secs 2 & 3
 5.00 Leave grove & Enter marsh
 40.00 Set gr. Sec. post in marsh no bearings
 78.70 Intersect N. Boundary 1.30 hrs. W. of post
 When set post cor. to Sec 2 & 3 in
 marsh no bearings. Land marsh

North Between Secs 33 & 34
 40.00 Set gr. Sec. post in marsh no bearings
 80.00 Set post in marsh cor. to Secs 27 & 28
 33 & 34 no bearings. Land marsh

East on random between Secs 27 & 34
 80.05 Intersect E line of Sec. 12 1/2 hrs. S. of post
 Land deep marsh

West correct line between Secs 27 & 34
 40.02 1/2 Set gr. Sec. post in marsh, no bearings
 80.05 Section corner

North Between Sections 27 & 28
 32.00 Leave marsh & Enter grove
 40.00 Set gr. Sec. post from which
 @ Y. Oak 12 in. dia bears S. 56 E, 31 hrs. dist?
 @ W. Oak 10 " " " N. 60 W, 11 " "
 40.50 @ Y. Oak 30 " "

T. 31 N. R. 8 W. 2 E. Sec. 141

66.89 @ Y. oak 18 in. dia.
 80.00 Set post cor. to Sec. 21, 23, 27 & 28 from which
 @ W. oak 40 in. dia. bears N. 82 W. 240 lks. dist.
 @ Y. oak 12 " " " N. 5 E. 474 " "
 After entering grove - Land rolling
 Poor sandy soil - Y. Oak & W. oak

East on random between Sec. 22 & 27
 36.00 Leave grove & enter marsh
 79.90 Intersect E. line of Sec 18 lks. N. of post
 Land in grove - Same as last mile

West correct line between Sec. 22 & 27
 39.95 Set gr. Sec. post from which a
 W. oak 24 in. dia. bears N. 87 W. 400 lks. dist.
 50.50 @ P. oak 24 " "
 79.90 Section corner

North Between Sections 21 & 22
 33.02 @ Pin oak 35 in. dia.
 40.00 Set gr. Sec. post from which
 @ W. oak 20 in. dia. bears S. 66 E. 99 lks. dist.
 @ P. oak 9 " " " N. 13 E. 211 " "
 80.00 Set post cor. to Sec. 15, 16, 21 & 22
 @ Y. oak 12 in. dia. bears N. 8 1/2 W. 17 lks. dist.
 @ Do 12 " " " bears N. 30 E. 78 " "
 Land level & not thickly timbered with
 Pin oak W. oak - some Y. oak no
 undergrowth, July, 9, 1855,

East on random between Sec. 15 & 22
 80.50 Intersect post
 Land same as last mile

West Marked line back between Sec. 15 & 22
 17.30 @ Pin oak 12 in. dia.

Y 31 N. - R. 8 W. 2nd Mer. Ind^a

40.25 Set gr. Sec. post from which
 @ Y. oak 16 in. dia. bears N. 63 E. 50 lks dist.
 @ Do 6 " " " S. 30 E. 78 " "
 50.51 @ W. oak 14 " "
 62.09 @ P. oak 8 " "
 80.50 Section corner

North Between sections 15 & 16
 40.4 @ Y. oak 10 in. dia.
 40.00 Set gr. Sec. post from which @
 Y. oak 10 in. dia. bears S. 44 E. 19 lks dist.
 @ P. oak 18 " " " N. 76 W. 55 " "
 67.67 @ W. oak 30 " "
 73.41 @ P. oak 4 " "
 80.00 Set post cor. to Sec. 9, 10, 15 & 16
 @ W. oak 19 in. dia. bears S. 83 E. 51 lks dist.
 @ Do - 20 " " " N. 87 1/2 W. 98 " "
 Land same

East on random between Sec. 10 & 15
 36.00 Leave grove & Enter marsh
 75.00 Leave marsh & Enter grove
 80.10 Intersect E. line of Sec. 22 lks N. of post
 Land part marsh & part timbered
 Same as last mile

West Corner line between Sec. 10 & 15
 40.05 Set gr. Sec. post, in deep marsh fm. oak
 @ P. oak 8 in. dia. bears S. 82 W. 228 lks dist.
 no other
 51.45 @ Y. oak 10 in. dia.
 80.10 Section corner

@ Nth Between sections 9 & 10
 4.36 @ Y. oak 12 in. dia.
 20.00 Leave grove & Enter marsh

T. 31 N. - R. 8 W. 2nd Mer, Ind^a 143

40.00 Set gr. Sec. post in marsh no bearings
80.00 Set post cor. to Secs 3, 4, 9 & 10 in Marsh
no bearings, Land same

East on random between Secs 3 & 10
70.00 Leave marsh & Enter grove
80.00 Intersect E. line of Sec. 4 1/2 m. N. of post
Land principally Marsh

West correct line between Secs 3 & 10
40.00 Set gr. Sec. post in marsh no bearings
80.00 Section corner

North Between Sections 3 & 4
12.00 Leave marsh & Enter grove
28.00 Leave grove & Enter Marsh
40.00 Set gr. Sec. post in Marsh
(no bearings)
53.00 Leave Marsh & Enter grove
78.86 Intersect N. Boundary 125 Chs. N. of post
When set post cor. to Secs 3 & 4 from wh.
a W. Oak 12 in. dia. bears S. 47 E. 43 Chs. dist?
a Y. Oak 12 " " " S. 4 W. 26 " "
Land level & best - poor sandy soil
W. Oak. pin Oak some Y. Oak

North Between Sections 32 & 33
1.52 a Y. Oak 18 in. dia.
7.00 Leave grove & Enter Marsh
40.00 Set gr. Sec. post in Marsh, no bearings
80.00 Set post in Marsh cor. to Secs.
28, 29, 32 & 33 from which
a Y. Oak 20 in. dia. bears N. 89 E. 11.50 Chs. dist?
(no other)
Land principally Marsh

Y. 31 N. R. & W. 2nd Mer. End^o

East on random between Sec. 28 & 33
 10.00 Leave marsh & Enter grove
 60.50 Leave grove & Enter marsh
 79.30 Intersect E. line of Sec. 6 lks S. of post
 Land part rolling - part level Y. oak
 & W. oak poor sandy soil, 3^d rate

West correct line between Sec. 28 & 33
 39.65 Set gr. Sec. post. from which
 @ W. oak 24 in. dia. bears S. 42 E. 39 lks. dist.
 @ Do 18 " " " N. 67 E. 69 " "
 47.31 @ W. oak 26 " "
 79.30 Section corner (= end of subdivisions)
 Note The lines between Sec. 28 & 29 - & Sec. 21 & 28 found at:

North Between Sections 20 & 21
 26.00 Leave marsh & Enter grove
 40.00 Set gr. Sec. post. from which
 @ P. oak 6 in. dia. bears S. 34 E. 55 lks. dist.
 @ Do 8 " " " N. 14 E. 46.71 " "
 55.03 @ Y. oak 12 in. dia.
 80.00 Set post cor. to Sec. 16, 17, 20 & 21
 @ Y. oak 12 in. dia. bears S. 30 E. 23 lks. dist.
 @ Do 20 " " " N. 74 E. 40.115 " "
 Land in grove rolling poor sandy
 Soil thinly timbered with Y. oak, W. oak
 and some P. oak no undergrowth

East on random between Sec. 16 & 21
 79.40 Intersect E. line of Sec. 10 lks N. of post
 Land same

West correct line between Sec. 16 & 21
 39.70 Set gr. Sec. post. from which @
 Red oak 15 in. dia. bears N. 50 W. 14 lks. dist.
 @ P. oak 12 " " " S. 77 E. 49 " "
 44.68 @ W. oak 20 " "

19.40 Section Corner

Both "Between Sections 16 & 17
 24.90 @ W. oak 15 in dia,
 40.00 Set gr. Sec. post. from which a
 P. oak 10 in. dia, bears N. 55 $\frac{1}{2}$ E. 90 lks. dist.
 @ Do 18 " " " N. 2 W. 1.49 " "
 67.75 @ Y. oak 12 " "
 80.00 Enter Marsh & Set post cor. to Sect. 8, 9
 16, & 17 from which @
 P. oak 12 in. dia, bears N. 76 $\frac{1}{2}$ E. 7 lks. dist.
 @ W. oak 12 " " " S. 76 W. 31 " "
 Land same

East on random between Sect. 9 & 16
 22.00 Leave marsh & Enter grove
 45.00 Leave grove & Enter marsh
 68.00 Leave marsh & Enter grove
 79.00 Intersect at post in E. boundry, of Sect. -
 Land level & wet poor sandy soil
 Timber as last mile

West marked line back between Sect. 9 & 16
 39.50 Set gr. Sect. post. from which @
 P. oak 18 in. dia, bears N. 54 E. 13 lks. dist.
 @ Do 20 " " " S. 79 $\frac{1}{2}$ W. 31 " "
 41.16 @ Y. oak 16 " "
 79.00 Section corner

North "Between Sections 8 & 9
 40.00 Set gr. Sec. post in marsh. no bearings
 80.00 Set post in marsh cor. to Sect. 4, 5, 8 & 9
 @ W. Oak 10 in ^{dia} bears N. 45 E. 125 lks. dist.
 @ Do 12 " dia bears N. 10 W. 92. " "
 Land marsh

Y 31 N. B. 8 W. 2nd Sec. 2nd Mor. Ind.

East on random between Sec. 4 & 9
 19.80 Intersect E. line of Sec. 5th sec. of post
 Land Same

West correct line between Sec. 4 & 9
 39.99 Set gr. Sec. post in Marsh
 no bearings
 19.80 Section Corner

North Between Sections 4 & 5
 1.50 Leave Marsh & Enter grove
 5.74 @ Y. oak 18 in. dia.
 40.00 Set gr. Sec. post from which @
 W. Oak 15 in. dia. bears S. 15 $\frac{1}{2}$ W. 54 lks. dist.
 @ Do 18 " " " S. 85 E. 96 " "
 50.60 @ Do 18 " "
 49.50 Leave grove & Enter Marsh
 78.54 Intersect N. Boundary 1.79 lks N. of post.
 Set Cor. to Sec. 4 & 5 from which @
 Y. oak 12 in. dia. bears S. 3 W. 55.4 lks. dist.
 @ Do 12 " " " S. 5 E. 5.10 " "
 Land level & wet 3^d rate
 Feb. 11, 1835

North Between Sections 31 & 32
 40.00 Set gr. Sec. post in Marsh
 no bearings
 80.00 Set post in Marsh Cor. to Sec. 29, 30,
 31 & 32 no bearings. Land Marsh

East on random between Sec. 29 & 32
 80.00 Intersect E. line of Sec. 10 lks. E. of post
 Land Marsh

West correct line between Sec. 29 & 32
 40.00 Set gr. Sec. post in Marsh

147

T. 31 N. R. 8 W. 2nd Mer. Ind^a.

80.00 No bearings
Section corner

West on random between Sec. 30 + 31
79.13 Intersect W. Boundary 32 lks. S. of post
Land Marsh - No bearings

East corner line between Sec. 30 + 31
39.13 Set gr. Sec. post in marsh. no bearings
79.13 Section corner

North Between sections 29 + 30
40.00 Set. gr. Sec. post in marsh
no mound nor - no bearings
50.00 Leave marsh & enter grove
73.95 @ W. oak 30 in. dia.
80.00 Set post cor. to Sec. 19, 20, 29 + 30
@ Y. oak 14 in. dia. bears N. 85 W. 77 lks. dist.
@ Do 18 " " " S. 76 E. 119 " "
Land principally marsh - grove Y. oak
- poor sandy soil 3^d rate

East on random between Sec. 20 + 29
45.00 Leave grove & enter marsh
79.57 Intersect E. line of Sec. 6 lks. N. of post
Land same

West corner line between Sec. 20 + 29
39.78½ Set gr. Sec. post from which @
Y. oak 14 in. dia. bears S. 42 W. 64 lks. dist.
@ Do 18 " " " N. 7 E. 107 " "
57.13 @ Pin oak 18 in. dia.
79.57 Section corner

West on random between Sec. 19 + 30
78.51 Intersect W. Boundary 18 lks. S. of post

T. 31 N. P. 8. W. 2nd Mer. Ind.

Land Level & over poor Sandy
Soil W. Oak Pin. Oak - some Y. Oak

East correct line between Sect 19 & 20
 @ W. Oak 6 in. dia. bears S 33 E. 78 the dist?
 @ Do 18 " " " N. 66 E. 96 " "
 7.18 a W. Oak 8 " "
 38.51 Set gr. Sec. post from which
 @ W. Oak 14 in. dia. bears N 89 E. 82 the dist?
 @ P. Oak 18 " " " N. 7 W. 105 " "
 68.71 @ Y. Oak 10 " "
 78.51 Section corner

North Between Sections 19 & 20
 17.28 @ Y. Oak 12 in. dia.
 40.00 Set gr. Sec. post from which
 @ Y. Oak 8 in. dia. bears S 47 E. 57 the dist?
 @ Do 16 " " " N. 27 E. 14 " "
 47.85 a P. Oak 18 " "
 80.00 Set post cor. to Sect 17, 18, 19 & 20 from which
 @ W. Oak 6 in. dia. bears S 23 E. 20 the dist?
 @ P. Oak 12 " " " S. 76 W. 47. " "
 Land same

East on random between Sect 17 & 20
 80.41 Intersect E line of Sect 10 thru N. of post -
 Land same

West correct line between Sect 17 & 20
 00.85 @ Pin Oak 15 in. dia.
 40.20 Set gr. Sec. post from which
 @ P. Oak 20 in. dia. bears S. N. 88 W. 20 the dist?
 a W. Oak 13 " " " S. 62 E. 113 " "
 60.41 a Y. Oak 12 " "
 80.41 Section corner

Feb. 12. 1835

149

T. 31 N. R. 8 W. 2nd Mer. Ind^y

West on random between Sec^s 18 & 19
 2.00 Leave grove & enter marsh
 78.41 Intersect West Boundary 18 lks. S. of post
 Land Marsh

East correct line between Sec^s 18 & 19
 On E. side of line no bearings
 38.41 Set gr. Sec. post in marsh no bearings
 78.41 Section Corner

North Between Sections 17 & 18
 1.00 Leave grove & enter marsh
 111.11 Set gr. Sec. post in marsh no bearings
 49.00 Enter small grove
 49.64 @ Y. Oak 10 in. dia.
 60.00 Leave grove & enter marsh
 80.00 Set post cor. to Sec^s 7 & 17 & 18 in
 Marsh no bearings
 Land principally marsh timber in
 grove pin Oak. Soil same

East on random between Sec^s 8 & 17
 80.15 Intersect E. line of Sec^s 12 lks. S. of post
 Land Marsh

West correct line between Sec^s 8 & 17
 40.07 1/2 Set gr. Sec. post in marsh no bearings
 80.15 Section Corner

West on random between Sec^s 7 & 18
 76.50 Intersect W. Boundary 13 lks. N. of post
 Land same

East correct line between Sec^s 7 & 18
 36.50 Set gr. Sec. post in marsh no bearings
 76.50 Section Corner

Y 31 N. P. 8 W. 2nd Mer. Ind.

| | |
|-------|---------------------------------------------------------------------------------------------------------------------|
| North | Between Sections 7 & 8 |
| 40.00 | Set gr. Sec. post in marsh no bearings |
| 80.00 | Set post in marsh cor to Sec. 5, 6, 7 & 8 Land Same |
| East | on random between Sec. 5 & 8 |
| 50.00 | Intersect E. line of Sec. 16 the N. of post Land Same |
| 40.00 | Set gr. Sec. post in marsh no bearings |
| 80.00 | Section Corner |
| West | on random between Sec. 6 & 7 |
| 14.00 | Leave marsh & Enter grove |
| 30.50 | Leave grove & Enter marsh |
| 52.00 | Leave marsh & Enter grove |
| 70.00 | Leave grove & Enter marsh |
| 75.56 | Intersect W. Boundary 5 the N. of post Land level & wet, W. Oak & P. Oak 3 rd rate |
| East | corner line between Sec. 6 & 7 |
| | @ Y. Oak 10 in. dia. bears N. 4 E. 376 the. dist. no other |
| 35.56 | Set gr. Sec. post in marsh from which @ Pin Oak 4 in. dia. bears N 37 W. 711 the. dist. no other |
| 75.56 | Section Corner |
| North | Between Sections 5 & 6 |
| 21.00 | Leave marsh & Enter grove |
| 40.00 | Set gr. Sec. post from which @ W. Oak 14 in. dia. bears S. 89 E. 6.6 the. dist. @ Do 14 " " " N. 69 W. 68 " " |
| 46.00 | @ W. Oak 18 " " " |
| 60.00 | Leave grove & Enter marsh |
| 78.00 | Intersect N. Boundary 2.36 the W. of post where Set post cor. to Sec. 5 & 6 |

T. 31 N. R. 8 W. 2nd Mer. Ind^a 151

on left Bank of Kankakee River

@ maple & in dia. bears S. 77 E. 40 the dist.

@ Do 10 " " " S. 70 E. 40.64 " "

Land same

| Course distance Ch. S. | Meanders of Kankakee River Beginning at post cor to Sec. 5 & 6 on N. Boundary on left Bank of River - thence down stream in Sec. 6 Remarks |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| S. 81 W. 15.00 | |
| S. 61 W. 5.00 | |
| N. 85 W. 18.00 | |
| S. 81 W. 20.00 | |
| West 4.50 | |
| S. 80 W. 20.00 | Intersect cor. on W. Boundary |
| S. 47 W. 13 ch | Beginning at post on N. Boundary on right Bank thence down stream in Sec. 6 Intersect meander post on W. B Feb. 13. 1885 |
| | T. 31 North in Range 8 west of the 2 nd principal Meridian is entirely unfit for agricultural purposes - the soil being apparently entirely sand the marshes however are generally covered with grass bullrushes &c. and the ridges are thinly covered with scrubby timber viz. Y. oak pine Oak & W. Oak no undergrowth Wich Biggs Dep. Surveyor W. S. |

T. 31 N. R. 8 W. 2nd Mer. Ind. &

I hereby certify that in pursuance of a contract with Mr. J. Williams Surveyor General of the United States for the State of Ohio and Indiana and the Territory of Michigan bearing date the 3^d day of May 1834 and in strict conformity to the Laws of the United States and the Instructions of said Surveyor General, I have surveyed & subdivided into Sections Township No. 33 North in Range No. 8 West in the State of Indiana and I do further certify that the foregoing are the true and original field notes of the said survey and subdivisions executed as aforesaid

Certified the 14th day of
February 1835

Uriah Biggs
Deputy Surveyor

S. Butler }
A. W. Clarkson } chairmen

Robert Robb } master

I certify that the foregoing transcript of field notes of Township 31 North of Range 8 West 2nd Meridian State of Indiana has been compared with the original in this office and found to be correct

William Johnston
Chas. Gent,

Surveyor General's office }
Cincinnati Dec. 31st 1842 }

ay
T. 31. N. - R. 8 W. 3rd. Mer. Ind.^a 183

Note The two following lines were omitted in
their proper place through mistake.

North Between sections 28 & 29

40.00 Set gr. sec. post in marsh. no bearings

80.00 Set post cor. sec. 20. 21. 28 & 29.

no bearings, nor mound

Land deep marsh, July 10th 1835

East On Random between sec. 21 & 28

65.00 Leave marsh & Enter grove

79.40 Entered E. line of sec. 12 1/2 m. S. of post.

Land level & wet.

West Correct line between sec. 21 & 28

39.70 Set gr. sec. post in marsh

no bearings,

79.40 To sec. corner.
